

CESAB product range

Counterbalanced and Warehouse Equipment
Towing solutions



Counterbalanced

4-wheel engine trucks torque converter





M
315 – 318
Stage V

	15 t – 18 t
	6970 mm
	DIESEL / LPG





M
320 – 325
Stage V

	20 t – 25 t
	6970 mm
	DIESEL / LPG





M
330 – 335
Stage V

	30 t – 35 t
	6970 mm
	DIESEL / LPG

4-wheel engine trucks hydrostatic





M
315H – 318H
Stage V

	15 t – 18 t
	6970 mm
	LPG version only





M
320H – 325H
Stage V


	20 t – 25 t
	6970 mm
	DIESEL / LPG





M
330H – 335H
Stage V

	30 t – 35 t
	6970 mm
	DIESEL / LPG

LEGEND			
	Rated Lift / Load capacity		Maximum battery
	Rated towing capacity		Fuel type
	Maximum lifting height		Additional info



3-wheel electric trucks

imd
intelligent most design



B
210 - 213
- 215

KG	1.0 t - 1.25 t - 1.5 t
↑	6470 mm
Battery	24V / 1000 Ah

imd
intelligent most design



B
315 - 316(L)
318(L) - 320

KG	1.5 t - 1.6 t - 1.8 t - 2.0 t
↑	7470 mm
Battery	48V / 750 Ah

4-wheel electric trucks

imd
intelligent most design



B
415 - 416(L)
418(L) - 420

KG	1.5 t - 1.6 t - 1.8 t - 2.0 t
↑	7470 mm
Battery	48V / 750 Ah

imd
isd
intelligent stability design



B
620 - 625(L-HL)
630(L-HL) - 635

KG	2.0 t - 2.5 t - 3.0 t - 3.5 t
↑	6500 mm
Battery	80V / 775 Ah

imd
intelligent most design



B
640 - 645
- 650

KG	4.0 t - 4.5 t 5.0 t
↑	6500 mm
Battery	80V / 930 Ah

Heavy-duty electric trucks

isd
intelligent stability design



B
860 - 870
- 880

KG	6.0 t - 7.0 t - 8.0 t
↑	7000 mm
Battery	80V / 1240 Ah





Warehouse equipment

Hand pallet trucks



CE
200
- 230
- 300

	20 t - 23 t - 30 t
	The 23 t model is also available with low forks, quicklift feature and handbrake. Low forks are standard on the 20 t model.



CE
200st

	20 t
	Stainless steel version.






H
210
- 210E

	10 t
	800 mm
	Available with manual and electric lift.

Powered pallet trucks






P
013i

	1.3 t
	Li-Ion 24V / 36 Ah
	Available with fast charger for 2½ hour charging time.



P
113

	1.3 t
	24V / 63 Ah
	Integrated batteries and charger.



P
214 - 216
- 218 - 220
- 225

	14 t - 16 t - 18 t - 20 t - 25 t
	24V / 300 Ah
	Optional operator platform available for P220.

Li-Ion



P
216i

	16 t
	Li-Ion 24V / 150 Ah
	Available with internal or external charger.



P
320
- 322

	20 t - 22 t
	24V / 600 Ah
	Available with a choice of travel speed (6,8,10 km/h).

Reach trucks



R
112 - 114 - 116

	12 t - 14 t - 16 t
	8500 mm
	48V / 620 Ah
	Also available as a drive-in version with narrow overhead guard.

imd
INTEGRATED MATERIAL DESIGN







R
212 - 214 - 216

	12 t - 14 t - 16 t
	8500 mm
	48V / 620 Ah
	Also available as a cold store version as well as drive-in version with narrow overhead guard.

imd
INTEGRATED MATERIAL DESIGN



R
314 - 316 - 318
- 320 - 325





	14 t - 16 t - 18 t - 20 t - 25 t
	13000 mm
	48V / 930 Ah
	Also available as a cold store version with or without heated cabin, as well as a drive-in version with narrow overhead guard.



Powered stacker trucks



S
110 - 110S

 KG	1.0 t
	1960 mm
	24V / 63 Ah
	Integrated batteries and charger. S10S: straddle support arm variant.



S
210 - 212
- 214

 KG	1.0 t - 1.2 t - 1.4 t
	4755 mm
	24V / 300 Ah
	Optional operator platform available.




S
215 - 216
- 220

 KG	1.45 t - 1.6 t - 2.0 t
	6000 mm
	24V / 500 Ah
	Available with a choice of chassis width.



S
208L

 KG	0.8 t
	1580 mm
	24V / 230 Ah
	Can lift up to 2000 kg when lifting with the support arms only. Available with optional automatic height adjustment.



S
212L
- 214L

 KG	1.2 t - 1.4 t
	4755 mm
	24V / 300 Ah
	Elevating support arms. Optional operator platform available.



S
215L
- 216L
- 220L

 KG	1.45 t - 1.6 t - 2.0 t
	6000 mm
	24V / 500 Ah
	Elevating support arms.



S
220D

 KG	1.0 t
	2100 mm
	24V / 300 Ah
	Double stacker. Lifts 800 + 1000 kg lifting with forklift + support arms or 2000 kg when lifting with the support arms only. Optional operator platform available.



S
212S

 KG	1.2 t
	4755 mm
	24V / 300 Ah
	Straddle support arms. Optional operator platform also available.



S
214S

 KG	1.4 t
	5400 mm
	24V / 300 Ah
	Straddle support arms variant.



S
312 - 314
316 - 320

 KG	1.2 t - 1.4 t - 1.6 t - 2.0 t
	6000 mm
	24V / 300 Ah
	Available with a choice of speeds up to 10 km/h.



S
312L
- 314L
- 316L
- 320L

 KG	1.2 t - 1.4 t - 1.6 t - 2.0 t
	6000 mm
	24V / 500 Ah
	Elevating support arms. Available with a choice of speed, up to 10 km/h.



S
314S





 KG	1.4 t
	5350 mm
	24V / 500 Ah
	Straddle support arms.







Warehouse equipment

Low Level Order Pickers







125 – 125P		2.5 t
		235mm
		24V / 620 Ah
		The lifting platform version allows the driver to pick goods up to 2700 mm







112 – 112P		12 t
		800mm
		24V / 620 Ah
		The lifting platform version allows the driver to pick goods up to 2700 mm



120X – 118XP		2.0 t / XP 1.8 t
		800mm
		24V / 620 Ah
		The lifting platform version allows the driver to pick goods up to 2700 mm



110 – 110W		1.0 t
		O110 – 1880mm O110W – 1100 mm
		24V / 620 Ah
		Low step height 180 mm W version without barrier for handling bulky goods



112CB		12 t
		4150mm
		24V / 620 Ah
		2-in-1 solution, O112CB can be used for picking as well as stacking



Towing solutions

3-Wheel Tow Tractors



TTE	↔	1.5 t
15		24V / 375 Ah
	Build-in HF battery charger. Driver backrest optional	



TTE	↔	3.0 t
30		0.1 t
	24V / 360 Ah	
	Useable as stand-on and sit-down tractor	



TTE	↔	4.0 t
40		---
	24V / 360 Ah	
	Drum brakes on all wheels. Activa comfort seat	



TTE	↔	7.0 t
71		---
	24V / 360 Ah	
	Double circuit drum brakes on all wheels. Full light kit	

4-Wheel Tow Tractors



TTE	↔	10.0 t
100		0.1 t
	48V / 500 Ah	
	Double circuit drum brakes on all wheels. Full light kit	



TE	↔	8.0 t
80		0.1 t
	48V / 375 Ah	
	Double circuit drum brakes on all wheels. Full LED light kit	



TE	↔	8.0 t
80IXB		0.1 t
	48V / 375 Ah	
	Double circuit drum brakes on all wheels. 2nd seat possible	



TE	↔	15.0 t
152		0.2 t
	48V / 625 Ah	
	Disk brakes on all 4 wheels. Grammer seats for driver and passenger	



TE	↔	25.0 t
252		0.2 t
	80V / 620 Ah	
	Disk brakes on all 4 wheels. Grammer seats for driver and passenger	



TE	↔	29.0 t
293		0.2 t
	80V / 620 Ah	
	Disk brakes on all 4 wheels. Grammer seats for driver and passenger	



TE	↔	30.0 t
300R		0.1 t
	80V / 620 Ah	
	Disk brakes on all 4 wheels. Grammer seats for driver and passenger	



TE	↔	50.0 t
501		0.2 t
	80V / 930 Ah	
	Disk brakes on all 4 wheels. Grammer seats for driver and passenger	

Platform Trucks



PE		1.5 t
15	↔	5.0 t
	48V / 300 Ah	
	Double circuit drum brakes on all wheels. 2nd seat possible	



PE		2.0 t
20	↔	6.0 t
	48V / 480 Ah	
	Double circuit drum brakes on all wheels. Two seats on board	



PE		3.0 t
30	↔	8.0 t
	80V / 480 Ah	
	Disk brakes on all 4 wheels. Grammer seats for driver and passenger	



Η Equipment Next
- Α. Βουρλούμης & ΣΙΑ ΕΕ αποτελεί
τον αποκλειστικό εισαγωγέα
της **Cesab** στην Ελλάδα και εξειδικεύεται
στους κλάδους της **βιομηχανίας**,
της εφοδιαστικής αλυσίδας (Logistics), της **ναυτιλίας**,
των **κατασκευών**, του **τουρισμού** και λοιπούς.
Η **Equipment Next** προσφέρει εξατομικευμένες λύσεις,
όπως **μακροχρόνια μίσθωση - Leasing**,
αγορά ή **ενοικίαση (Rental)** καινούργιων
και μεταχειρισμένων μηχανημάτων.

Με την **Equipment Next** απολαμβάνετε μια σειρά
από πλεονεκτήματα, όπως Αξιόπιστα Μηχανήματα
κορυφαίων Ευρωπαϊκών κατασκευαστών,
με παράδοση στο τόπο εργασίας τους. Άμεση Τεχνική
Επέμβαση σε περίπτωση βλάβης και εάν χρειαστεί
παρέχεται μηχανήμα αντικατάστασης. Συμβουλευτική
Υποστήριξη από τα εξειδικευμένα στελέχη μας,
για εξατομικευμένες λύσεις σύμφωνα
με τις ανάγκες σας.



Συμμαχική Οδός προς Διαβατά Τ.Κ. 546 28 Θεσσαλονίκη

T_2310 756 279, 2310 706 361

info@equipment-next.gr
www.equipment-next.gr